

MSDS - Material Safety Data Sheet

D3 Industrial Products LLC
7391 Heil Ave. Suite 101
Huntington Beach, CA 92647
(714) 842-5522
(714) 200-0955 FAX

24 Hour Emergency Hotline
800-255-3924
International
813-248-0585

=====

EFFECTIVE DATE: 2/14/06	DATE PREPARED: 2/14/06
-------------------------	------------------------

=====

This Material Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information incorporated in your MSDS.

=====

This MSDS complies with 29 CFR 1910.1200 (The Hazard Communication Standard)

SECTION 1 - PRODUCT IDENTIFICATION =====

PRODUCT DESCRIPTION: D3 Flock – Rayon Fibers
D.O.T. PROPER SHIPPING NAME: Not Regulated
CAS Registry No.: 6 1788-77-0
HMIS Code: (Health:0) (Flammability:0) (Reactivity:0)

SECTION 2 - COMPONENTS =====

<u>Component</u>	<u>% by volume</u>	<u>Occupational Exposure Limits</u>	<u>Vapor Pressure</u>
*** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT ***			

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title II and of 40 CFR 372 are present. ***

SECTION 3 - PHYSICAL DATA=====

BOILING POINT FOR PRODUCT:	N/A
VAPOR DENSITY FOR PRODUCT:	N/A
SPECIFIC GRAVITY:	1.48-1.54 (H2O=1)
V.O.C.(GRAMS PER LITER):	N/A
WATER SOLUBILITY:	Negligible.
MELTING POINT:	Chars
EVAPORATION RATE:	N/A

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA =====

FLAMMABLE: YES	FLASHPONT:NONE, but will burn. Method Used: N/A
----------------	---

EXPLOSIVE LIMIT (PRODUCT): **LOWER - N/A** **UPPER - N/A**

EXTINGUISHING MEDIA: Water spray, dry chemical, foam, carbon dioxide, or halon.

SPECIAL FIRE FIGHTING PROCEDURES

Standard procedures for class A fires. Use self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None.

SECTION 5 - REACTIVITY DATA =====

=====

Stability: Stable

Incompatibility: (materials to avoid): Avoid contact with strong oxidants, perchloric acids, nitrates.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: None known.

SECTION 6 - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Dust may produce mechanical irritation of the mucous membranes of the nose, throat and upper respiratory tract.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Dust may cause mechanical irritation to eyes. Skin exposure is unlikely to lead to any health effect.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS

None Known.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Essentially non-toxic and inert.

HEALTH HAZARDS (ACUTE AND CHRONIC)

None known.

CARCINOGENICITY: NTP: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO

None Known.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

None known.

SECTION 6 – HEALTH HAZARD DATA (continued) =====

EMERGENCY FIRST AID PROCEDURES:

In the unlikely event that a skin irritation develops, the worker should stop handling the suspect product immediately. The worker should then have the skin irritation examined by a physician.

CANCER INFORMATION: The ingredients of this product are not listed as carcinogens by the National

Toxicology Program (NTP), nor the International Agency for Research on Cancer (IARC). The ingredients

of this product are not regulated as carcinogens by the Occupational Safety and Health Administration (OSHA).

SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE =====

Eye protection: Safety glasses

Skin protection: None normally required

Respiratory Protection: Avoid breathing fiber and dust. Use NIOSH/OSHA approved equipment when airborne exposure is excessive.

Other Protective Equipment: Eyewash stations and safety showers should be near work area.

Ventilation: Local and general exhaust ventilation should be near work area..

SECTION 8 – CONTROL MEASURES =====

Storage: Store in a sprinklered warehouse. Keep temperatures below 60°C (140°F) for quality control. This product may react with strong oxidants, nitrates and perchloric acid and should not be stored near such materials.

Spill Procedures: If material is not contaminated, place into clean containers for use. If contaminated, place into containers for disposal.

Waste Disposal Method: Landfilling in a licensed facility in accordance with local, state, and federal industrial waste regulations is the recommended disposal method. Incineration in a licensed facility is a suitable alternative. Mixing the waste with wood or paper waste aids in assuring complete combustion.

=====

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the date under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.